At Home

## **Figley**

from page 8D

"Give them a deep seak," he says. Damage during the winter season isn't caused by the cold, but rather by the loss of moisture that can increase with drying winds continuously blowing over thom, or when they are growing in warm, sunny spots. The roots aren't able to take up moisture from frozen or dry soil to reconstitute the plant.

## Alternative

Instead of burlap, Slezinski says, "We use Wilt-Pruf, an antitranspirant, and spray it on these plants to help them retain their moisture. We have found that it is also very effective on baxwood.

The antitranspirants aren't to be The antitranspirants aren't to be sprayed on arborvitae and some other plants, so be sure to read the label and follow directions exactly. It's best sprayed the first time around mid-Nosprayed the first time around minus vermber and then reapplied during our January thaw, when the temperature has been under freezing for 24 hours. Foliar gas exchange, needed for photosynthesis, shouldn't be a factor, because it is less critical in the winter, the profit around many factors are the profit around minus from the profit around many factors are of the profit around many factors are not around minus factors. therefore, the antitranspirants are OK.

"It's best to not try to remove heavy wet snows, or ice from these trees," Slezinski said. "Just let Nature take its

Or By Appeln

on evergreens; it's not necessary to prune winter-injured needles. Don't drastically prune plants that aren't ev-ergreens; wait until the buds open when dead wood can be readily seen. They will recover more quickly than one seerely pruned or not pruned at all. Plant of year

The Perennial Plant Association ha announced that its choice for the 1996 Plant of the Year is Penstemon digitalis
"Husker Red." This plant, with bronzered foliage, is splendid when it blooms during July and August with masses of

white flowers.

It prefers a sunny to light shady spot with well-drained slightly acidic soil and can be used as a mass planting in and can be used as a man practing the borders, an accent plant or a specimen. It is a fine cut flower. "Husker Red's average height is 30 inches. Bare-root plants of "Husker Red" can be planted most any time during the season, from most any time during the season, tome early spring until one month before a hard killing frost. Potted plants need to be planted at the same depth they were in the pot. Try it with plants with allvor foliage such as Artemisia "Powis Casfoliage tle" ar and Achillea "Moonshine." Notice

**(810)547-6777** (MIX)



WAREHOUSE DISTRICT! WAREHOUSE PRICES!

**BRING IN THE NEW YEAR** 

ł outstanding savings! VE 25% - 40%

THROUGHOUT THE STORE and RECEIVE ONE YEAR INTEREST FREE

- or -PAY CASH AND TAKE AN EXTRA 10% OFF YOUR ORDER!



- PENNSYLVANIA
  BOB TIMBERLAKE
  KING HICKORY
- HEKMAN

- HEKMAN HITCHCOCK HOWARD MILLER I.M. DAVID CRAFTMARK ATHOL
- THOMASVILLE • THOMASVILLE
  • NICHOLS & STONE
  • LEXINGTON
  • CONOVER
  • STIFFEL
  • JASPER CABINET
  • BUTLER
  • DINAIRE

- · CRAFTWORK
- HARDEN [ ] BRADINGTON-YOUNG HOOKER
- CANAL DOVER
- SUPERIOR CHARLESTON FORGE
- RESTONIC

Mon., Thurs., Frl. 9:30-9; Tues., Wed., Sat. 9:30-5:30; Open Sun. 1-5

20292 MIDDLEBELT, LIVONIA (South of 8 Mile)

VISIT OUR IN STORE CLEARANCE CENTER

(810) 474-6900 DESIGN

SERVICE AVAILABLE

Sale ends Jan 20, 1996

\* All Descends Are Off Manufacturers Suggested Retail Prices rates; Sales Factuded + Office Nest Volid in Conjunction bitth Any Other Print

