SPIKE rumors we have heard, the full story of the Fe excavation is in the paper. There is absolutely not true that the excavation was started after a half collar rolled window and fell through a crack in the paving. Eviditate springs from the establishment of the Grand Canton took place after a frugall Soltsman lost a nickel in a gor there's no connection between the two.

Despite the rainy day and busy

## School Art Course To Be Expanded FARM BUREAU HEARS COUNTY AGRICULTURAL MAN

E. Dunckel, superintendent of Farmington Township School rict, announced this week that instruction will be expanded in the high school and element

# Around The Block The Farmington Enterprise

LEADERSHIP-OUR PURPOSE SERVICE-OUR GOAL

FARMINGTON, MICHIGAN, THURSDAY, AUGUST 18, 1949

### Commission Asks For Bids On City Hall Remodeling

Approve Additions To Traffic Ordinance

Final plans for the alteration ar

Legion Gala Days

#### Amateur Show Draws Crowd Of 500

The first of a series of three ame are some of the series of the series

The contract for the purchase and

Recreation Commission To Hold Year Round Planning Meetings The Farmington Area Recreation cludes a bilance of about \$200 from mission at a meeting held sate last summer's program. The Cit

Contract Awarded

At Clarenceville

## Floral Park Mothers "Park" Babies | Board | Approves Resolution To Adopt Building Code

#### Local Man Killed In Traffic Crash

Mrs. Henderson received a fractured left; leg and abristons. Shrwas taken to Redford Receiving Hospital by the Green Ambulance

## Rides Available To

# Action Taken As First Step In Drafting Township Ordinance

Approval of a resolution indicating their intention to

## Excavate For Water Line In Farmington Road

## Local Friends Aid Christiansen Family

The family of Axel B. Christian-

#### inside Features

Calendar of Events	Pg. 1
Classified Ada	Light of
Correspondence	3,
2, 3,	4, Sec. 1
Editorials	Page
Farm Features	Page
Locals Page	4, Sec.
Looking Back.	Page
Michigan Mirror	Page
Markington Marry C	o. Round